

## **EOSDIS Core System Project**

# **Operations Concept for the ECS Project: Part 2B - ECS Release B**

**This document has not yet been approved by the  
Government for general use or distribution.**

March 1996

Hughes Information Technology Systems  
Upper Marlboro, Maryland

# **ECS Operations Concept for the ECS Project: Part 2B - ECS Release B**

**Final**

**March 1996**

Prepared Under Contract NAS5-60000  
CDRL Item 112

## **SUBMITTED BY**

<u>Robert Clinard /S/</u>	<u>3/15/95</u>
Robert Clinard, ECS CCB Chairman EOSDIS Core System Project	Date

**Hughes Information Technology Systems**  
Upper Marlboro, Maryland

This page intentionally left blank.

## Preface

---

This document is a formal contract deliverable with an approval code 1. It requires Government review and approval prior to acceptance and use. This document is under ECS contractor configuration control. Once this document is approved, Contractor approved changes are handled in accordance with Class I and Class II change control requirements described in the EOS Configuration Management Plan, and changes to this document shall be made by document change notice (DCN) or by complete revision.

Any questions concerning distribution of the document should be addressed to:

Data Management Office  
The ECS Project Office  
Hughes Information Technology Corporation  
1616 McCormick Dr.  
Upper Marlboro, MD 20774

This page intentionally left blank.

## **Abstract**

---

This is Part 2B of the ECS Operations Concept Document (OCD). The ECS OCD consists of a Part 1 which is a release independent ECS Overview and several Part 2s which are release specific. This volume - Part 2B - provides the operational concepts for ECS Release B.

This document provides an overview of the missions supported by Release B, a set of activity descriptions for the process performed by ECS, a description of ECS activities at each site, and several scenarios which span across ECS Sites.

**Keywords:** Operations, Scenarios, DAACs, SMC, Mission Support, Release B, Interfaces

This page intentionally left blank.

# Change Information Page

---

<b>List of Effective Pages</b>			
<b>Page Number</b>	<b>Issue</b>		
Title	Submitted as Final		
iii through xxx	Submitted as Final		
1-1 through 1-4	Submitted as Final		
2-1 and 2-2	Submitted as Final		
3-1 through 3-22	Submitted as Final		
4-1 through 4-262	Submitted as Final		
5-1 through 5-192	Submitted as Final		
6-1 through 6-20	Submitted as Final		
A-1 through A-52	Submitted as Final		
AB-1 through AB-8	Submitted as Final		
<b>Document History</b>			
<b>Document Number</b>	<b>Status/Issue</b>	<b>Publication Date</b>	<b>CCR Number</b>
604-CD-002-001	Outline	March 1995	
604-CD-002-002	Working Draft	October 1995	
604-CD-002-003	Submitted as Final	March 1996	96-0190

This page intentionally left blank.

# **Contents**

---

## **Preface**

## **Abstract**

### **1. Introduction**

1.1	Identification .....	1-1
1.2.	Scope .....	1-1
1.3	Purpose and Objectives .....	1-1
1.4	Status and Schedule .....	1-2
1.5	Document Organization .....	1-3

### **2. Related Documentation**

2.1	Parent Documents .....	2-1
2.2	Applicable Documents .....	2-1
2.3	Information Documents .....	2-2

### **3. Release Overview**

3.1	Release B Mission Statement.....	3-1
3.2	Missions Supported by ECS Release B .....	3-2
3.3	Interdisciplinary Investigators.....	3-3
3.4	Version 0 (V0) Data Migration .....	3-4
3.5	ECS Functionality .....	3-6
3.6	ECS Sites for Release B .....	3-7
3.7	Description of ECS Support for Missions.....	3-8
3.7.1	TRMM Mission Support .....	3-8

3.7.2	AM-1 Mission Support .....	3-11
3.7.3	Landsat 7 Mission Support .....	3-14
3.7.4	Color Mission Support .....	3-16
3.7.5	ADEOS II - SeaWinds Mission Support.....	3-16
3.7.6	ALT Radar Mission Support.....	3-17
3.7.7	ACRIM Mission Support .....	3-18
3.7.8	METEOR - SAGE III Mission Support.....	3-19
3.7.9	SAR Support .....	3-20
3.7.10	Data Assimilation Office (DAO) Support .....	3-22

## **4. Release B "Key" System Activities**

4.1	System Operations Management Activities .....	4-4
4.1.1	Computer System Administration Activities .....	4-4
4.1.2	Configuration Management Activities .....	4-7
4.1.3	Fault Management Activities .....	4-24
4.1.4	Performance Management Activities.....	4-38
4.1.5	Security and Accountability Activities .....	4-61
4.1.6	Resource Planning (Scheduling) Activities .....	4-68
4.1.7	Resource and Logistics Management Activities .....	4-77
4.1.8	Accounting and Billing Activities.....	4-126
4.2.	Science Operations Activities .....	4-138
4.2.1	Science Data Ingest Activities .....	4-138
4.2.2	Science Data Archival Activities .....	4-158
4.2.3	Science Data Distribution Activities .....	4-179
4.2.4	Production Planning Activities .....	4-196
4.2.5	Production Processing Activities .....	4-208
4.2.6	User Services Activities .....	4-214
4.2.7	Science Software Integration and Test Activities .....	4-229
4.2.8	Information Management Activities .....	4-243
4.2.9	Science User.....	4-254

## **5. Site Overviews**

5.1	Definitions of Terms Used in the Site Overviews .....	5-2
5.1.1	Definition of DAAC Modes.....	5-2

5.1.2	ECS Services User Request Distributions .....	5-5
5.2	Alaska SAR Facility (ASF).....	5-15
5.2.1	Key Interfaces: ASF DAAC-ECS .....	5-15
5.2.2	ASF ECS Related Mission and Operations Activities .....	5-16
5.2.3	Day in the Life of ECS at the ASF DAAC .....	5-18
5.3	EROS Data Center (EDC).....	5-27
5.3.1	Key Interfaces: EDC DAAC-ECS .....	5-27
5.3.2	EDC ECS Related Mission and Operations Activities .....	5-28
5.3.3	Day in the Life of ECS at the EDC DAAC.....	5-34
5.4	Goddard Space Flight Center (GSFC) .....	5-56
5.4.1	Key Interfaces: GSFC DAAC-ECS .....	5-56
5.4.2	GSFC ECS Related Mission and Operations Activities .....	5-58
5.4.3	Day in the Life of ECS at the GSFC DAAC.....	5-62
5.5	Jet Propulsion Laboratory (JPL) .....	5-92
5.5.1	Key Interfaces: JPL DAAC-ECS .....	5-92
5.5.2	JPL ECS Related Mission and Operations Activities .....	5-94
5.5.3	Day in the Life of ECS at the JPL DAAC .....	5-96
5.6	Langley Research Center (LaRC) .....	5-110
5.6.1	Key Interfaces: LaRC DAAC-ECS.....	5-110
5.6.2	LaRC ECS Related Mission and Operations Activities .....	5-112
5.6.3	Day in the Life of ECS at the LaRC DAAC .....	5-114
5.7	Marshall Space Flight Center (MSFC) .....	5-145
5.8	National Snow and Ice Data Center (NSIDC) .....	5-146
5.8.1	Key Interfaces: NSIDC DAAC-ECS .....	5-146
5.8.2	NSIDC ECS Related Mission and Operations Activities .....	5-147
5.8.3	Day in the Life of ECS at the NSIDC DAAC.....	5-148
5.9	Oak Ridge National Laboratory (ORNL) .....	5-165
5.9.1	Key Interfaces: ORNL DAAC-ECS .....	5-165
5.9.2	ORNL ECS Related Mission and Operations Activities .....	5-166
5.9.3	Day in the Life of ECS at the ORNL DAAC .....	5-167
5.10	System Monitoring and Coordination Center (SMC) .....	5-177
5.10.1	Key Interfaces: ECS SMC .....	5-177
5.10.2	ECS SMC Mission and Operations Activities .....	5-179
5.10.3	Day in the Life of ECS at the SMC .....	5-180

## **6. System Level Scenarios**

6.1	System Management Scenarios .....	6-1
6.1.1	Cross-DAAC Software Upgrade Coordination Scenario.....	6-1
6.1.2	Cross-DAAC System Resource Management Scenario .....	6-2
6.1.3	System Management Recovery Scenario.....	6-4
6.2	Push Scenarios .....	6-5
6.2.1	MODIS Planning and Processing Scenario .....	6-5
6.2.2	Cross-DAAC Production Coordination Scenario .....	6-5
6.2.3	Push Recovery Scenario.....	6-8
6.3	Pull Scenarios .....	6-11
6.3.1	Development of Land Surface Hydrologic Model Scenario.....	6-11
6.3.2	Development of Methods to Integrate Data Sets of Varying Resolutions Scenario .....	6-15
6.3.3	Pull Recovery Scenario .....	6-18

## **Figures**

3.1-1	ECS End-to-End System Views .....	3-2
3.4-1	The V0 Data Migration Process for Each V0 Data Product .....	3-5
3.4-2	ESDIS/DAACs Steer the Migration Process .....	3-6
3.7.1-1	ECS Support of the TRMM Mission .....	3-10
3.7.2-1	ECS Support of the AM-1 Mission .....	3-12
3.7.3-1	ECS Support of the Landsat-7 Mission .....	3-16
3.7.5-1	ECS Support of the SeaWinds Mission .....	3-17
3.7.6-1	ECS Support of the ALT RADAR Mission .....	3-18
3.7.7-1	ECS Support of the ACRIMSAT Mission.....	3-19
3.7.8-1	ECS Support of the SAGE III Mission .....	3-20
3.7.9-1	ECS Support of Synthetic Aperture Radar (SAR) Missions .....	3-21
4.1.1.1-1	Computer Systems Administration Backup Scenario.....	4-6
4.1.2.1-1	COTS HW Problem Scenario .....	4-9
4.1.2.2-1	HW Emergency Change Scenario .....	4-12
4.1.2.3-1	COTS SW Problem Scenario.....	4-15

4.1.2.4-1	Custom SW Problem Scenario .....	4-18
4.1.2.5-1	COTS SW Upgrade Scenario .....	4-20
4.1.2.6-1	System Enhancement Scenario .....	4-23
4.1.3.1-1	Intermittent CPU Failure Scenario .....	4-27
4.1.3.2-1	User Notes Performance Degradation Scenario .....	4-34
4.1.4.1-1	Operations Support Scenario .....	4-40
4.1.4.2-1	Preparing for New Algorithm Scenario .....	4-44
4.1.4.3-1	Trending Scenario .....	4-50
4.1.4.4-1	Performance Test Generation Scenario .....	4-54
4.1.4.5-1	Cross DAAC Problem Detection Scenario .....	4-57
4.1.5.1-1	Security Management .....	4-65
4.1.5.2-1	Accountability Management .....	4-67
4.1.6.1-1	Planning Production Resources Scenario .....	4-69
4.1.6.2-1	Planning Ingest Resources Scenario .....	4-71
4.1.6.3-1	Schedule Adjudication Scenario .....	4-73
4.1.6.4-1	Bad Data Scenario .....	4-76
4.1.7.1-1	Software Distribution Scenario .....	4-80
4.1.7.2-1	Installation of Software Upgrade .....	4-84
4.1.7.3-1	Data Processing Host Routine Maintenance .....	4-89
4.1.7.4-1	Tracking a Corrective Maintenance Action .....	4-94
4.1.7.5-1	Adding/Updating Inventory Asset Record .....	4-98
4.1.7.6-1	Cross-DAAC Software Upgrade Coordination Scenario .....	4-102
4.1.7.7-1	Operational System and Test Activity Run in Parallel Scenario .....	4-114
4.1.7.8-1	Mode Management Support Scenario .....	4-121
4.1.8-1	ECS/EMC BAAS Context Diagram .....	4-127
4.1.8.1-1	Billing a Science User .....	4-133
4.1.8.2-1	Receiving and Posting Science User Payments to Accounts Scenario .....	4-136
4.2.1.1-1	Automated Network Ingest Scenario .....	4-139
4.2.1.2-1	Polling Ingest With Delivery Record Scenario .....	4-141

4.2.1.3-1	Polling Ingest Without Delivery Record Scenario .....	4-143
4.2.1.4-1	Hard Media Ingest Scenario .....	4-145
4.2.1.5-1	Interactive Network Ingest Scenario .....	4-147
4.2.1.6-1	Version 0 Data Ingest Scenario .....	4-148
4.2.1.7-1	Bad Data Scenario .....	4-150
4.2.1.8-1	Document Ingest Scenario .....	4-152
4.2.1.9-1	Retrieving an ECS Document for Update .....	4-155
4.2.1.9-2	Updating a Multi-Part Document .....	4-156
4.2.2.1-1	Data Insertion Scenario (nominal).....	4-159
4.2.2.2-1	Data Insertion Scenario (fault).....	4-162
4.2.2.3-1	Data Archive Configuration Maintenance - Media Refresh - Scenario .....	4-165
4.2.2.4-1	Data Archive Configuration Maintenance - Lost Volume - Scenario .....	4-167
4.2.2.5-1	Data Type Service Modification Scenario.....	4-169
4.2.2.6-1	Bad Data Scenario .....	4-171
4.2.3.1-1	Network Data Distribution (Pull) Scenario (Nominal).....	4-181
4.2.3.2-1	Network Data Distribution (Push) Scenario (Nominal) .....	4-184
4.2.3.3-1	Network Data Distribution (Push) Scenario (Fault) .....	4-186
4.2.3.5-1	Network Data Distribution (Pull) Scenario (Flood of Requests).....	4-190
4.2.4.1-1	Routine Production Scenario .....	4-199
4.2.4.2-1	Replanning Production Scenario .....	4-201
4.2.4.3-1	On-Demand Processing Request Scenario .....	4-203
4.2.4.4-1	Planning Reprocessing Request Scenario.....	4-205
4.2.4.5-1	Add Hot Job Scenario .....	4-207
4.2.5.1-1	Production Processing Job Anomaly Scenario .....	4-210
4.2.5.2-1	Production Processing Job Abnormal Termination Scenario .....	4-211
4.2.5.3-1	Quality Assurance Scenario .....	4-213
4.2.6.1-1	Order Tracking Scenario.....	4-217
4.2.6.2-1	Standard Procedures (Registration) Scenario .....	4-219
4.2.6.3-1	System Status Scenario .....	4-220

4.2.6.4-1	Place an Order for a Potential User Scenario .....	4-222
4.2.6.5-1	Trouble Ticket Scenario .....	4-224
4.2.6.6-1	Lost User Password Scenario .....	4-226
4.2.6.7-1	Cross DAAC Referral Scenario.....	4-228
4.2.7.1-1	Transition To and From Testing Scenario .....	4-235
4.2.7.2-1	Production Calibration-Validation Scenario.....	4-240
4.2.8.1-1	LIM and DIM Schema Update Scenario .....	4-244
4.2.8.2-1	Database Periodic Maintenance Scenario.....	4-246
4.2.8.3-1	Advertisement Review Scenario.....	4-248
4.2.8.4-1	Data Dictionary Valids Ingest Scenario .....	4-250
4.2.8.5-1	Subscription Event Error Scenario .....	4-252
4.2.8.6-1	Server Saturation Scenario .....	4-253
4.2.9.1-1	Simple Search and Order Scenario .....	4-255
4.2.9.2-1	Coincident Search Scenario .....	4-260
5.1.2.1.4-1	Comparison of User Pull Data and Home Page Usage at .....	5-8
5.1.2.2.2-1	Distribution of Services by Type .....	5-12
5.1.2.2.3-1	Service Request Rate by Time of Day for all Five Epochs .....	5-14
5.2.1-1	Release B Key Interfaces ASF DAAC-ECS .....	5-16
5.2.3-1	Overview of Day in the Life of ECS at ASF .....	5-20
5.2.3-2	ASF Related Release B Development Milestones .....	5-21
5.2.3-3	ASF Science SW Activities .....	5-21
5.2.3-4	ASF System Integration Activities .....	5-21
5.2.3-5	ASF Training and Certification Activities .....	5-22
5.2.3-6	ASF Mission Operations Activities .....	5-22
5.2.3-7	ASF Maintenance and Sustaining Engineering Activities .....	5-22
5.2.3-8	ASF Related Release C Development Milestones .....	5-23
5.2.3.2-1	ASF RADARSAT, ERS-1, ERS-2, and JERS Archive Writes .....	5-23
5.2.3.2-2	ASF Ad Hoc Archive Writes .....	5-24
5.2.3.2-3	ASF Composite Archive Writes .....	5-24

5.2.3.3-1	ASF Hard Media Distribution Backlog .....	5-26
5.2.3.3-2	ASF Orders and Media by Order Volume .....	5-26
5.2.3.3-3	ASF User Sessions .....	5-27
5.3.1-1	Release B Key Interfaces EDC DAAC-ECS .....	5-29
5.3.3-1	Overview of Day in the Life of ECS at EDC .....	5-37
5.3.3-2	EDC Related Release B Development Milestones .....	5-38
5.3.3-3	EDC Science SW Activities .....	5-38
5.3.3-4	EDC System Integration Activities .....	5-39
5.3.3-5	EDC Mission Readiness, and Training and Certification Activities .....	5-39
5.3.3-6	EDC Mission Operations Activities .....	5-40
5.3.3-7	EDC Maintenance and Sustaining Engineering Activities .....	5-40
5.3.3-8	EDC Related Release C Development Milestones .....	5-40
5.3.3.1-1	EDC AM-1/ASTER/Processing Process Backlog .....	5-41
5.3.3.1-2	EDC AM-1/ASTER/Processing Active Processes .....	5-42
5.3.3.1-3	EDC AM-1/MODIS/Processing Process Backlog .....	5-42
5.3.3.1-4	EDC AM-1/MODIS/Processing Active Processes .....	5-43
5.3.3.1-5	EDC AM-1/Subsetting/Processing Process Backlog .....	5-43
5.3.3.1-6	EDC AM-1/Subsetting/Processing Active Processes .....	5-44
5.3.3.1-7	EDC AM-1/ASTER/Reprocessing Process Backlog .....	5-44
5.3.3.1-8	EDC AM-1/ASTER/Reprocessing Active Processes .....	5-45
5.3.3.1-9	EDC AM-1/MODIS/Reprocessing Process Backlog .....	5-45
5.3.3.1-10	EDC AM-1/MODIS/Reprocessing Active Processes .....	5-46
5.3.3.1-11	EDC AM1/Subsetting/Reprocessing Process Backlog .....	5-46
5.3.3.1-12	EDC AM1/Subsetting/Reprocessing Active Processes .....	5-47
5.3.3.1-13	EDC Composite Process Backlog .....	5-47
5.3.3.1-14	EDC Composite Active Processes .....	5-48
5.3.3.2-1	EDC AM-1/ASTER/Processing Archive Writes .....	5-48
5.3.3.2-2	EDC AM-1/MODIS/Processing Archive Writes .....	5-49
5.3.3.2-3	EDC AM-1/Subsetting/Processing Archive Write Operations .....	5-49

5.3.3.2-4	EDC AM-1/ASTER/Reprocessing Archive Writes .....	5-50
5.3.3.2-5	EDC AM-1/MODIS/Reprocessing Archive Writes.....	5-50
5.3.3.2-6	EDC AM-1/Subsetting/Reprocessing Archive Writes.....	5-51
5.3.3.2-7	EDC Landsat-7/ETM+ Archive Writes .....	5-51
5.3.3.2-8	EDC V0 Migration Archive Writes .....	5-52
5.3.3.2-10	EDC Composite Archive Writes .....	5-53
5.3.3.3-1	EDC Hard Media Distribution Backlog .....	5-54
5.3.3.3-2	EDC Orders and Media by Order Volume.....	5-55
5.3.3.3-3	EDC User Sessions .....	5-56
5.4.1-1	Release B Key Interfaces GSFC DAAC-ECS .....	5-57
5.4.3-1	Overview of Day in the Life of ECS at GSFC .....	5-65
5.4.3-2	GSFC Related Release B Development Milestones .....	5-66
5.4.3-3	GSFC Science SW Activities.....	5-66
5.4.3-4	GSFC System Integration Activities .....	5-67
5.4.3-5	GSFC Mission Readiness, and Training and Certification Activities .....	5-67
5.4.3-6	GSFC Mission Operations Activities.....	5-68
5.4.3-7	GSFC Maintenance and Sustaining Engineering Activities .....	5-68
5.4.3-8	GSFC Related Release C Development Milestones .....	5-68
5.4.3.1-1	GSFC TRMM/LIS/Processing Process Backlog .....	5-69
5.4.3.1-2	GSFC TRMM/LIS/Processing Active Processes.....	5-70
5.4.3.1-3	GSFC AM-1/MODIS/Processing Process Backlog .....	5-70
5.4.3.1-4	GSFC AM-1/MODIS/Processing Active Processes .....	5-71
5.4.3.1-5	GSFC AM-1/Subsetting/Processing Process Backlog .....	5-71
5.4.3.1-6	GSFC AM-1/Subsetting/Processing Active Processes .....	5-72
5.4.3.1-7	GSFC AM-1/DAO/DAS/Processing Process Backlog .....	5-72
5.4.3.1-8	GSFC AM-1/DAO/DAS/Processing Active Processes .....	5-73
5.4.3.1-9	GSFC FOO/COLOR/Processing Process Backlog .....	5-73
5.4.3.1-10	GSFC FOO/COLOR/Processing Active Processes .....	5-74
5.4.3.1-11	GSFC TRMM/LIS/Reprocessing Process Backlog .....	5-74

5.4.3.1-12	GSFC TRMM/LIS/Reprocessing Active Processes .....	5-75
5.4.3.1-13	GSFC AM-1/MODIS/Reprocessing Process Backlog.....	5-75
5.4.3.1-14	GSFC AM-1/MODIS/Reprocessing Active Processes .....	5-76
5.4.3.1-15	GSFC AM-1/Subsetting/Reprocessing Process Backlog.....	5-76
5.4.3.1-16	GSFC AM-1/Subsetting/Reprocessing Active Processes .....	5-77
5.4.3.1-17	GSFC FOO/COLOR/Reprocessing Process Backlog.....	5-77
5.4.3.1-18	GSFC FOO/COLOR/Reprocessing Active Processes .....	5-78
5.4.3.1-19	GSFC Composite Process Backlog.....	5-78
5.4.3.1-20	GSFC Composite Active Processes .....	5-79
5.4.3.2-1	GSFC TRMM/GV/Processing Archive Writes.....	5-79
5.4.3.2-2	GSFC TRMM/PR/Processing Archive Writes .....	5-80
5.4.3.2-3	GSFC TRMM/TMI/Processing Archive Writes .....	5-80
5.4.3.2-4	GSFC TRMM/VIRS/Processing Archive Writes .....	5-81
5.4.3.2-5	GSFC TRMM/LIS/Processing Archive Writes .....	5-81
5.4.3.2-6	GSFC AM1/MODIS/Processing Archive Writes .....	5-82
5.4.3.2-7	GSFC AM1/Subsetting/Processing Archive Writes .....	5-82
5.4.3.2-8	GSFC DAO/DAS/Processing Archive Writes .....	5-83
5.4.3.2-9	GSFC FOO/COLOR/Processing Archive Writes .....	5-83
5.4.3.2-10	GSFC TRMM/GV/Reprocessing Archive Writes .....	5-84
5.4.3.2-11	GSFC TRMM/PR/Reprocessing Archive Writes .....	5-84
5.4.3.2-12	GSFC TRMM/TMI/Reprocessing Archive Writes .....	5-85
5.4.3.2-13	GSFC TRMM/VIRS/Reprocessing Archive Writes .....	5-85
5.4.3.2-14	GSFC TRMM/LIS/Reprocessing Archive Writes .....	5-86
5.4.3.2-15	GSFC AM1/MODIS/Reprocessing Archive Writes .....	5-86
5.4.3.2-16	GSFC AM1/Subsetting/Reprocessing Archive Writes .....	5-87
5.4.3.2-17	GSFC FOO/COLOR/Reprocessing Archive Writes .....	5-87
5.4.3.2-18	GSFC V0 Migration Archive Writes .....	5-88
5.4.3.2-19	GSFC Ad Hoc Archive Writes.....	5-88
5.4.3.2-20	GSFC Composite Archive Writes.....	5-89

5.4.3.3-1	GSFC Hard Media Distribution Backlog .....	5-90
5.4.3.3-2	GSFC Orders and Media by Order Volume.....	5-91
5.4.3.3-3	GSFC User Sessions .....	5-92
5.5.1-1	Release B Key InterfacesJPL DAAC-ECS .....	5-93
5.5.3-1	Overview of Day in the Life of ECS at JPL .....	5-98
5.5.3-2	JPL Related Release B Development Milestones .....	5-99
5.5.3-3	JPL Science SW Activities .....	5-99
5.5.3-4	JPL System Integration Activities.....	5-99
5.5.3-5	JPL Mission Readiness, and Training and Certification Activities .....	5-100
5.5.3-6	JPL Mission Operations Activities .....	5-100
5.5.3-7	JPL Maintenance and Sustaining Engineering Activities .....	5-100
5.5.3-8	JPL Related Release C Development Milestones .....	5-101
5.5.3.1-1	JPL ADEOS-2/SWS Processing Process Backlog.....	5-102
5.5.3.1-2	JPL ADEOS-2/SWS Processing Active Processes .....	5-102
5.5.3.1-3	JPL RADAR ALT/DFA+MR Processing Process Backlog .....	5-103
5.5.3.1-4	JPL RADAR ALT/DFA+MR Processing Active Processes.....	5-103
5.5.3.1-5	JPL Composite Process Backlog.....	5-104
5.5.3.1-6	JPL Composite Active Processes .....	5-104
5.5.3.2-1	JPL ADEOS-2/SWS Routine Product Archive Write Operations .....	5-105
5.5.3.2-2	JPL RADAR ALT/DFA+MR Routine Product Archive Write Operations .....	5-105
5.5.3.2-3	JPL V0 Migration Archive Write Operations .....	5-106
5.5.3.2-4	JPL Ad Hoc Archive Write Operations .....	5-106
5.5.3.2-5	JPL Composite Archive Write Operations.....	5-107
5.5.3.3-1	JPL Hard Media Distribution Backlog.....	5-108
5.5.3.3-2	JPL Orders and Media by Order Volume .....	5-109
5.5.3.3-3	JPL User Sessions .....	5-110
5.6.1-1	Release B Key InterfacesLaRC DAAC-ECS .....	5-111
5.6.3-1	Overview of Day in the Life of ECS at LaRC .....	5-117
5.6.3-2	LaRC Related Release B Development Milestones .....	5-118

5.6.3-3	LaRC Science SW Activities .....	5-118
5.6.3-4	LaRC System Integration Activities .....	5-119
5.6.3-5	LaRC Mission Readiness, and Training and Certification Activities .....	5-119
5.6.3-6	LaRC Mission Operations Activities .....	5-120
5.6.3-7	LaRC Maintenance and Sustaining Engineering Activities.....	5-120
5.6.3-8	LaRC Related Release C Development Milestones.....	5-121
5.6.3.1-1	LaRC TRMM/CERES Processing Process Backlog .....	5-122
5.6.3.1-2	LaRC TRMM/CERES Processing Active Processes .....	5-122
5.6.3.1-3	LaRC AM-1/CERES Processing Process Backlog.....	5-123
5.6.3.1-4	LaRC AM-1/CERES Processing Active Processes .....	5-123
5.6.3.1-5	LaRC AM-1/MISR Processing Process Backlog.....	5-124
5.6.3.1-6	LaRC AM-1/MISR Processing Active Processing .....	5-124
5.6.3.1-7	LaRC AM-1/Subsetting Processing Process Backlog .....	5-125
5.6.3.1-8	LaRC AM-1/Subsetting Processing Active Processes .....	5-125
5.6.3.1-9	LaRC AM-1/MOPITT Processing Process Backlog .....	5-126
5.6.3.1-10	LaRC AM-1/MOPITT Processing Active Processes .....	5-126
5.6.3.1-11	LaRC METEOR/SAGE III Processing Process Backlog .....	5-127
5.6.3.1-12	LaRC METEOR/SAGE III Processing Active Processes.....	5-127
5.6.3.1-13	LaRC FOO/ACRIM Processing Process Backlog .....	5-128
5.6.3.1-14	LaRC FOO/ACRIM Processing Active Processes .....	5-128
5.6.3.1-15	LaRC TRMM/CERES Reprocessing Process Backlog .....	5-129
5.6.3.1-16	LaRC TRMM/CERES Reprocessing Active Processes.....	5-129
5.6.3.1-17	LaRC AM-1/CERES Reprocessing Process Backlog.....	5-130
5.6.3.1-18	LaRC AM-1/CERES Reprocessing Active Processes .....	5-130
5.6.3.1-19	LaRC AM1/MISR Reprocessing Process Backlog.....	5-131
5.6.3.1-20	LaRC AM1/MISR Reprocessing Active Processes .....	5-131
5.6.3.1-21	LaRC AM1/Subsetting Reprocessing Processing Backlog .....	5-132
5.6.3.1-22	LaRC AM1/Subsetting Reprocessing Active Processes .....	5-132
5.6.3.1-23	LaRC AM1/MOPITT Reprocessing Process Backlog.....	5-133

5.6.3.1-24	LaRC AM1/MOPITT Reprocessing Active Processes .....	5-133
5.6.3.1-25	LaRC METEOR/SAGE III Reprocessing Process Backlog .....	5-134
5.6.3.1-26	LaRC METEOR/SAGE III Reprocessing Active Processes .....	5-134
5.6.3.1-27	LaRC Composite Process Backlog .....	5-135
5.6.3.1-28	LaRC Composite Active Processes.....	5-135
5.6.3.2-1	LaRC TRMM/CERES Routine Product Archive Write Operations.....	5-136
5.6.3.2-2	LaRC AM1/CERES Routine Product Archive Write Operations .....	5-136
5.6.3.2-3	LaRC AM1/MISR Routine Product Archive Write Operations .....	5-137
5.6.3.2-4	LaRC AM1/MOPITT Product Archive Write Operations.....	5-137
5.6.3.2-5	LaRC METEOR/SAGE III Routine Product Archive Write Operations .....	5-138
5.6.3.2-6	LaRC FOO/ACRIM Routine Product Archive Write Operations .....	5-138
5.6.3.2-7	LaRC TRMM/CERES Reprocessing Product Archive Write Operations .....	5-139
5.6.3.2-8	LaRC AM1/CERES Reprocessing Product Archive Write Operations.....	5-139
5.6.3.2-9	LaRC AM1/MISR Reprocessing Product Archive Write Operations .....	5-140
5.6.3.2-10	LaRC AM1/MOPITT Reprocessing Archive Write Operations.....	5-140
5.6.3.2-11	LaRC METEOR/SAGE III Reprocessing Product Archive Write Operations...	5-141
5.6.3.2-12	LaRC V0 Migration Archive Write Operations.....	5-141
5.6.3.2-13	LaRC Ad Hoc Archive Write Operations .....	5-142
5.6.3.2-14	LaRC Composite Archive Write Operations .....	5-142
5.6.3.3-1	LaRC Hard Media Distribution Backlog .....	5-144
5.6.3.3-2	LaRC Orders and Media by Order Volume .....	5-144
5.6.3.3-3	LaRC User Sessions .....	5-145
5.8.1-1	Release B Key InterfacesNSIDC DAAC-ECS .....	5-147
5.8.3-1	Overview of Day in the Life of ECS at NSIDC.....	5-150
5.8.3-2	NSIDC Related Release B Development Milestones .....	5-151
5.8.3-3	NSIDC Science SW Activities.....	5-151
5.8.3-4	NSIDC System Integration Activities .....	5-151
5.8.3-5	NSIDC Mission Readiness, and Training and Certification Activities .....	5-152
5.8.3-6	NSIDC Mission Operations Activities.....	5-152

5.8.3-7	NSIDC Maintenance and Sustaining Engineering Activities .....	5-152
5.8.3-8	NSIDC Related Release C Development Milestones .....	5-153
5.8.3.1-1	NSIDC AM1/MODIS Processing Process Backlog .....	5-154
5.8.3.1-2	NSIDC AM1/MODIS Processing Active Processes.....	5-154
5.8.3.1-3	NSIDC AM1/Subsetting Processing Process Backlog .....	5-155
5.8.3.1-4	NSIDC AM1/Subsetting Processing Active Processes.....	5-155
5.8.3.1-5	NSIDC AM1/MODIS Reprocessing Process Backlog .....	5-156
5.8.3.1-6	NSIDC AM1/MODIS Reprocessing Active Processes .....	5-156
5.8.3.1-7	NSIDC AM1/Subsetting Reprocessing Process Backlog .....	5-157
5.8.3.1-8	NSIDC AM1/Subsetting Reprocessing Active Processes .....	5-157
5.8.3.1-9	NSIDC Composite Process Backlog .....	5-158
5.8.3.1-10	NSIDC Composite Active Processes .....	5-158
5.8.3.2-1	NSIDC AM1/MODIS Routine Product Archive Write Operations.....	5-159
5.8.3.2-2	NSIDC AM1/Subsetting Routine Product Archive Write Operations.....	5-159
5.8.3.2-3	NSIDC AM1/MODIS Reprocessing Product Archive Write Operations .....	5-160
5.8.3.2-4	NSIDC AM1/Subsetting Reprocessing Product Archive Write Operations.....	5-160
5.8.3.2-5	NSIDC V0 Migration Archive Write Operations .....	5-161
5.8.3.2-6	NSIDC Ad Hoc Archive Write Operations.....	5-161
5.8.3.2-7	NSIDC Composite Archive Write Operations .....	5-162
5.8.3.3-1	NSIDC Hard Media Distribution Backlog .....	5-163
5.8.3.3-2	NSIDC Orders and Media by Order Volume.....	5-164
5.8.3.3-3	NSIDC User Sessions .....	5-165
5.9.1-1	Release B Key InterfacesORNL DAAC-ECS .....	5-166
5.9.3-1	Overview of Day in the Life of ECS at ORNL .....	5-169
5.9.3-2	ORNL Related Release B Development Milestones .....	5-170
5.9.3-3	ORNL ECS Science SW Activities .....	5-170
5.9.3-4	ORNL System Integration Activities .....	5-170
5.9.3-5	ORNL Training and Certification Activities .....	5-171
5.9.3-6	ORNL Mission Operations Activities .....	5-171

5.9.3-7	ORNL Maintenance and Sustaining Engineering Activities .....	5-171
5.9.3-8	ORNL Related Release C Development Milestones .....	5-171
5.9.3.2-1	ORNL Science Data Archive Write Operations .....	5-172
5.9.3.2-2	ORNL Metadata Archive Write Operations .....	5-172
5.9.3.2-3	ORNL V0 Migration Archive Write Operations .....	5-173
5.9.3.2-4	ORNL Ad Hoc Archive Write Operations .....	5-173
5.9.3.2-5	ORNL Composite Archive Write Operations .....	5-174
5.9.3.3-1	ORNL Hard Media Distribution Backlog .....	5-175
5.9.3.3-2	ORNL Orders and Media by Order Volume .....	5-176
5.9.3.3-3	ORNL User Sessions .....	5-177
5.10.1-1	Release B Key Interfaces ECS SMC .....	5-178
5.10.3-1	Overview of Day in the Life of ECS .....	5-181
5.10.3-2	SMC Operations Staffing .....	5-182
5.10.3-3	SMC Related Release B Development Milestones .....	5-182
5.10.3-4	SMC System Integration Activities .....	5-183
5.10.3-5	SMC Mission Readiness, and Training and Certification Activities .....	5-184
5.10.3-6	SMC Mission Operations Activities .....	5-184
5.10.3-7	SMC Maintenance and Sustaining Engineering Activities .....	5-184
5.10.3-8	SMC Related Release C Development Milestones .....	5-185
5.10.3.1-1	SMC Composite Processing Backlog .....	5-185
5.10.3.1-2	SMC Composite Processing Active Processes .....	5-186
5.10.3.2-1	SMC Composite Archive Write Operations .....	5-186
5.10.3.3-1	SMC Composite Hard Media Distribution Backlog .....	5-187
5.10.3.3-2	SMC Composite Orders and Media by Order Volume .....	5-188
5.10.3.3-3	SMC Composite User Sessions .....	5-189
5.10.3.4-1	SMC Exchange of Routine Reports with the DAACs and EOC .....	5-190
5.10.3.4-2	SMC Exchange of Ad Hoc Data and Reports with the DAACs and EOC .....	5-190
5.10.3.4-3	SMC Exchange of Status Reports with External Systems/Organizations .....	5-191
5.10.3.4-4	SMC Composite Message Exchanges .....	5-191

6.1.2-1	Cross-DAAC System Resource Management Scenario .....	6-3
6.2.2-1	Cross-DAAC Production Coordination Scenario .....	6-7
6.2.3-1	Push Recovery Scenario.....	6-10
6.3.1-1	Development of Land Surface Hydrologic Model Scenario.....	6-12
6.3.1-2	Development of Land Surface Hydrologic Model Scenario.....	6-13
6.3.2-1	Development of Methods to Integrate Data Sets of Varying Resolutions Scenario .....	6-17
6.3.3-1	Pull Recovery Scenario.....	6-19

## **Table s**

1.4-1	OCD Summary Schedule.....	1-2
3.2-1	Mission Baseline.....	3-3
3.3-1	The Major Disciplines of Earth System Science of The EOS Interdisciplinary Investigation Teams .....	3-3
4-1	Release B "Key" System Activities .....	4-1
4-2	Release B Scenarios.....	4-2
4.1.1.1-1	Computer Systems Administration Backup Scenario.....	4-7
4.1.2.1-1	COTS HW Problem Scenario .....	4-10
4.1.2.2-1	HW Emergency Change Scenario .....	4-13
4.1.2.3-1	COTS SW Problem Scenario.....	4-16
4.1.2.4-1	Custom SW Problem Scenario .....	4-19
4.1.2.5-1	COTS SW Upgrade Scenario .....	4-21
4.1.2.6-1	System Enhancement Scenario .....	4-24
4.1.3.1-1	Intermittent CPU Failure Scenario .....	4-30
4.1.3.2-1	User Notes Performance Degradation Scenario .....	4-36
4.1.4.1-1	Operations Support Scenario .....	4-41
4.1.4.4-1	Steps of the Scenario Performance Test Generation .....	4-54
4.1.4.2-1	Preparing for New Algorithm Scenario .....	4-46
4.1.4.3-1	Trending Scenario.....	4-51

4.1.4.4-1	Performance Test Generation Scenario .....	4-54
4.1.4.5-1	Cross DAAC Problem Detection Scenario.....	4-59
4.1.5.1-1	Security Management .....	4-66
4.1.5.2-1	Accountability Management.....	4-68
4.1.6.1-1	Planning Production Resources Scenario .....	4-70
4.1.6.2-1	Planning Ingest Resources Scenario .....	4-71
4.1.6.3-1	Steps of the Scenario Schedule Adjudication .....	4-74
4.1.6.4-1	Steps of the Scenario Bad Data .....	4-76
4.1.7.1-1	Software Distribution Scenario.....	4-82
4.1.7.2-1	Installation of Software Upgrade.....	4-87
4.1.7.3-1	Data Processing Host Routine Maintenance.....	4-92
4.1.7.4-1	Tracking a Corrective Maintenance Action.....	4-96
4.1.7.5-1	Steps of the Scenario Adding/Updating Inventory Asset Record .....	4-99
4.1.7.6-1	Steps of the Scenario Cross-DAAC Software Upgrade Coordination .....	4-107
4.1.7.7-1	Operational System and Test Activity Run in Parallel Scenario .....	4-116
4.1.7.8-1	Mode Management Support Scenario .....	4-125
4.1.8.1-1	Billing a Science User .....	4-134
4.1.8.2-1	Receiving and Posting Science User Payments to Accounts Scenario.....	4-137
4.2.1.1-1	Automated Network Ingest Scenario .....	4-139
4.2.1.2-1	Polling Ingest With Delivery Record Scenario .....	4-141
4.2.1.3-1	Polling Ingest Without Delivery Record Scenario .....	4-143
4.2.1.4-1	Hard Media Ingest Scenario .....	4-145
4.2.1.5-1	Interactive Network Ingest Scenario .....	4-147
4.2.1.6-1	Version 0 Data Ingest Scenario .....	4-149
4.2.1.7-1	Bad Data Scenario .....	4-151
4.2.1.8-1	Document Ingest Scenario .....	4-153
4.2.1.9-1	Retrieving an ECS Document for Update .....	4-157
4.2.1.9-2	Updating a Multi-Part Document .....	4-157
4.2.2.1-1	Data Insertion Scenario (nominal) .....	4-160

4.2.2.2-1	Data Insertion Scenario (fault).....	4-162
4.2.2.3-1	Data Archive Configuration Maintenance - Media Refresh - Scenario .....	4-166
4.2.2.4-1	Data Archive Configuration Maintenance - Lost Volume Scenario .....	4-168
4.2.2.5-1	Data Type Service Modification Scenario.....	4-170
4.2.2.6-1	Bad Data Scenario .....	4-172
4.2.2.7-1	Data Server Startup/Shutdown Scenario .....	4-174
4.2.2.7-2	Data Server Operator Shutdown Scenario .....	4-175
4.2.2.7-3	Data Server Startup from Abnormal Shutdown Scenario.....	4-176
4.2.2.8-1	ESDT Insert Scenario .....	4-177
4.2.2.8-2	ESDT Delete Scenario .....	4-179
4.2.3.1-1	Network Data Distribution (Pull) Scenario (Nominal) .....	4-182
4.2.3.2-1	Network Data Distribution (Push) Scenario (Nominal) .....	4-184
4.2.3.3-1	Network Data Distribution (Push) Scenario (Fault) .....	4-187
4.2.3.4-1	Physical Media Distribution Scenario .....	4-188
4.2.3.5-1	Network Data Distribution (Pull) Scenario (Flood of Requests).....	4-191
4.2.3.6-1	Network Data Distribution (Push) Scenario (Request From Hell) .....	4-193
4.2.3.7-1	8mm Tape Stacker Distribution Scenario .....	4-195
4.2.4.1-1	Routine Production Scenario .....	4-200
4.2.4.2-1	Replanning Production Scenario .....	4-202
4.2.4.3-1	On-Demand Processing Request Scenario .....	4-204
4.2.4.4-1	Planning Reprocessing Request Scenario .....	4-206
4.2.4.5-1	Add Hot Job Scenario .....	4-208
4.2.5.1-1	Production Processing Job Anomaly Scenario .....	4-210
4.2.5.2-1	Production Processing Abnormal Job Termination Scenario .....	4-212
4.2.5.3-1	Quality Assurance Scenario.....	4-213
4.2.6.1-1	Order Tracking Scenario .....	4-217
4.2.6.2-1	Standard Procedures (Registration) Scenario .....	4-219
4.2.6.3-1	System Status Scenario .....	4-221
4.2.6.4-1	Place an Order for a Potential User Scenario .....	4-223

4.2.6.5-1	Trouble Ticket Scenario .....	4-225
4.2.6.6-1	Lost User Password Scenario .....	4-227
4.2.6.7-1	Cross DAAC Referral Scenario .....	4-229
4.2.7-1	TRMM Instrument SDP Software Deliveries.....	4-232
4.2.7-2	AM-1 Instrument SDP Software Deliveries .....	4-232
4.2.7-3	SSI&T Tool Capabilities .....	4-233
4.2.7.1-1	Transition To and From Testing Scenario .....	4-235
4.2.7.2-1	Production Calibration-Validation Scenario.....	4-242
4.2.8.1-1	LIM and DIM Schema Update Scenario .....	4-245
4.2.8.2-1	Database Periodic Maintenance Scenario.....	4-246
4.2.8.3-1	Advertisement Review Scenario.....	4-248
4.2.8.4-1	Data Dictionary Valids Ingest Scenario .....	4-250
4.2.8.5-1	Subscription Event Error Scenario .....	4-252
4.2.8.6-1	Server Saturation Scenario .....	4-254
4.2.9.1-1	Simple Search and Order Scenario .....	4-258
4.2.9.2-1	Coincident Search Scenario .....	4-262
5-1	Structure of Site Overviews .....	5-1
5.1.1-1	Definitions of DAAC Modes .....	5-3
5.1.1-2	Activities During DAAC Modes.....	5-4
5.1.2.2-1	Mapping of the 63 subservices to the 15 high-level services .....	5-11
5.2.2.2-1	ASF Release B Product Baseline .....	5-17
5.2.2.3-1	ASF Data Volumes and Usage Estimates .....	5-17
5.2.3-1	Activities in the Day in the Life of ECS at ASF .....	5-18
5.2.3.3-1	ASF Hard Media Distribution Parameters .....	5-25
5.2.3.3-2	ASF Media Distribution .....	5-27
5.3.3.3-1	EDC Hard Media Distribution Parameters .....	5-54
5.3.3.3-2	EDC Media Distribution Summary.....	5-55
5.3.2.3-1	EDC Release B Product Baseline .....	5-30
5.3.2.6-1	EDC Data Volumes and Usage Estimates .....	5-34

5.3.3-1	Activities in the Day in the Life of ECS at EDC .....	5-35
5.4.2.3-1	GSFC Release B Product Baseline .....	5-59
5.4.2.8-1	GSFC Data Volumes and Usage Estimates .....	5-62
5.4.3-1	Activities in the Day in the Life of ECS at GSFC .....	5-63
5.4.3.3-1	GSFC Hard Media Distribution Parameters .....	5-90
5.5-1	JPL Release B Product Baseline .....	5-95
5.5.2.4-1	JPL Data Volumes and Usage Estimates .....	5-96
5.5.3-1	Activities in the Day in the Life of ECS at JPL .....	5-97
5.4.3.3-2	GSFC Media Distribution Summary .....	5-91
5.5.3.3-1	JPL Hard Media Distribution Parameters .....	5-108
5.5.3.3-2	JPL Media Distribution Summary .....	5-109
5.6.2.3-1	LaRC Release B Product Baseline .....	5-113
5.6.2.5-1	LaRC Data Volumes and Usage Estimates .....	5-114
5.6.3-1	Activities in the Day in the Life of ECS at LaRC .....	5-115
5.6.3.3-1	LaRC Hard Media Distribution Parameters .....	5-143
5.6.3.3-2	LaRC Media Distribution Summary .....	5-145
5.8.2.2-1	NSIDC Release B Product Baseline .....	5-147
5.8.2.4-1	NSIDC Data Volumes and Usage Estimates .....	5-148
5.8.3-1	Activities in the Day in the Life of ECS at NSIDC .....	5-148
5.8.3.3-1	NSIDC Hard Media Distribution Parameters .....	5-163
5.8.3.3-2	NSIDC Media Distribution Summary .....	5-164
5.9.2.2-1	ORNL Data Volumes and Usage Estimates .....	5-167
5.9.3-1	Activities in the Day in the Life of ECS at ORNL .....	5-167
5.9.3.3-2	ORNL Media Distribution Summary .....	5-176
5.9.3.3-1	ORNL Hard Media Distribution Parameters .....	5-175
6.3.3-1	Pull Recovery Scenario .....	6-20
6.1.2-1	Cross-DAAC System Resource Management Scenario .....	6-4
6.2.2-1	Cross-DAAC Production Coordination Scenario .....	6-8
6.2.3-1	Push Recovery Scenario .....	6-10

6.3.1-1	Development of Land Surface Hydrologic Model Scenario .....	6-14
6.3.2-1	Development of Methods to Integrate Data Sets of Varying Resolutions Scenario .....	6-18

## **Appendix A. Activities/Scenarios/L3 Requirements**

### **Abbreviations and Acronyms**

This page intentionally left blank.

# **1. Introduction**

---

## **1.1 Identification**

This document is Part 2B of the ECS Operations Concept Document (OCD). It is submitted as required by Data Item Description (DID) 604/OP1 for the Earth Observing System Data and Information System (EOSDIS) Core System (ECS) Contract (NAS5-60000).

## **1.2. Scope**

This OCD Part 2B document describes the Operations Concept for Release B of ECS. The OCD Part 2s are Release and site specific for each Release and are separately identified as OCD Part 2A for Release A, OCD Part 2B for Release B, etc.

This document reflects the February 14, 1996 Technical Baseline, maintained by the Contracts Configuration Control Board in accordance with ECS Technical Direction No. 11 dated December 6, 1994. It is anticipated that GSFC's contractual compliance documentation will be revised to be consistent with the Technical Baseline.

This document provides the operations concept for the science data processing and system management activities of ECS Release B. These activities are performed at the DAACs and SMC. Operations concepts for the Flight Operations performed at the EOC can be found in the Flight Operations Segment (FOS) Operations Concept for the ECS Project Volume 2 document, 604-CD-004-001.

## **1.3 Purpose and Objectives**

This OCD Part 2B establishes the ECS Release B mission support, describes the ECS processes, provides overviews of the activities at each Release B ECS site (including a Day in the Life of each site), and describes some system level, i.e., cross site, system scenarios. The OCD Part 2B provides guidance to system engineers during the system design phase to ensure that the system architecture and design supports the mission operational concepts and system users'/providers' needs. Additionally, the OCD Part 2s:

- provide a configurable basis for detailed scenarios in other Project documents that contain scenarios, such as test and acceptance plans and procedures, and in the Operations Scenarios Document (605/OP2).
- provide guidance for the establishment of staffing plans.
- define operational roles.
- help to define the performance of the individual system elements and the performance between those functional elements.
- provide initial material for development of the more detailed operation and maintenance procedures.

The OCD Part 2s are release-specific and make specific references to detailed scenarios that are to be published in the Operations Scenario document (DID 605) and in Software Development Folders. The difference between the IDR and CDR versions of the OCD Part 2s is the level of detail in references to the DID 605 scenarios. The IDR version identifies the detailed scenarios that need to be written as part of the design cycle. The CDR version will reference specific scenarios found in DID 605.

## 1.4 Status and Schedule

The original version of the ECS Operations Concept Document was submitted to Goddard Space Flight Center (GSFC) one month prior to the System Requirements Review (SRR) as a Configuration Control Board (CCB) approval code 1 document. An updated version was submitted as a post - SDR (System Design Review) revision in August of 1994.

In March 1995 the baseline version of the OCD Part 2B Annotated Outline was submitted as a result of a number of comments from the user community and an agreement with GSFC to reformat the document into a system level Part 1 and Release specific Part 2s. A Configuration Change Request (CCR) was initiated to formally change the OCD's format to consist of the multiple Parts described earlier in this section. The OCD Part 1 was approved by the CCB in June of 1995.

In July 1995, an update to the Annotated Outline was issued. The current version of the OCD Part 2B is no longer an outline. Updates include reviewers' comments, comments from the Operations Workshop held June 13 - 15, 1995, and represents the maturity of the design as depicted in the scenarios. The OCD Part 2B issue dates are shown in Table 1.4-1.

**Table 1.4-1. OCD Summary Schedule**

Document	Maturity	Schedule <sup>1</sup>
Part 2B - Release B	Baselined Annotated Outline	Rel B RIR + 30 days (4/30/95) Issued
	Updated Annotated Outline	7/31/95
	Working Draft (Available on EDHS)	Rel B IDR - 14 days (10/16/95)
	Preliminary	Rel B CDR - 30 days
	Final	Rel B CDR + 30 days

Note 1: Specific calendar dates are for reference only. They will not be maintained current if the schedule changes.

## **1.5 Document Organization**

The contents of this document are organized as follows:

Section 1	Introduction - This section introduces the ECS OCD scope, purpose, objectives, status, schedule, and document organization. Clarifies the purpose and scope of the OCD Part 1 versus the Release-specific OCD Part 2s.
Section 2	Related Documentation - This section provides a bibliography of reference documents for the OCD Part 1 organized by parent document, reference document, and information document subsections.
Section 3	Release Overview - This section provides description of the activities supported by ECS Release B in the categories: Missions and ECS support for these missions, interdisciplinary investigators, and V0 Data Migration. This section depicts which sites are involved in support of each mission.
Section 4	Release B "Key" System Activities - This section provides descriptions of the key activities of ECS science data processing and system management. These activities are the piece parts for the description of the site activities. The activities as described here are site independent, i.e., they describe the way an activity will be performed without site or dataset specifics. Included in this section are scenarios depicting examples of events of an activity.
Section 5	Site Overviews - This section describes the activities performed at each site during ECS Release B, including the following subsections: site interfaces, site mission activities, and Day in the Life of the Site. The frequency at which the activities are performed at a site are provided.
Section 6	System Level Scenarios - This section provides specific examples of how individual ECS activities discussed above in Section 4 combine to provide the infrastructure needed for ingest, production and archiving ("push"); information discovery and retrieval ("pull"); and overall system management.

This page intentionally left blank.

## **2. Related Documentation**

---

### **2.1 Parent Documents**

The following documents are the parents from which this document's scope and content derive:

423-10-01-00	Goddard Space Flight Center, Earth Science Data and Information System (ESDIS) Project -- Level 2 Requirements, Volume 0, February 18, 1993
423-10-01-01	Goddard Space Flight Center, Earth Science Data and Information System (ESDIS) Project -- Level 2 Requirements, Volume 1, January 27, 1993
423-10-01-05	Goddard Space Flight Center, EOSDIS Core System Statement of Work, May 21, 1993 (as updated by CCR 95-0053)
423-41-02	Goddard Space Flight Center, Functional and Performance Requirements Specification for the Earth Observing System Data and Information System (EOSDIS) Core System

### **2.2 Applicable Documents**

The following documents are referenced herein and are directly applicable to this document. In the event of conflict between any of these documents and this document, this document shall take precedence.

209-CD-002-003	Interface Control Document Between EOSDIS Core System (ECS) and the ASTER Ground Data System
209-CD-007-003	Interface Control Document Between EOSDIS Core System (ECS) and the TRMM Science Data and Information System (TSDIS)
209-CD-008-004	Interface Control Document Between EOSDIS Core System (ECS) and the Goddard Space Flight Center (GSFC) Distributed Active Archive Center (DAAC) for the ECS Project
209-CD-009-002	Interface Control Document Between EOSDIS Core System (ECS) and the Marshall Space Flight Center (MSFC) Distributed Active Archive Center (DAAC) for the ECS Project
210-TP-001-006	Technical Baseline for the ECS Project
505-41-13	Goddard Space Flight Center, Interface Requirements Document between Earth Observing System Data and Information System (EOSDIS) and the Landsat 7 System; 7/95

505-41-15                    Goddard Space Flight Center, Interface Requirements Document between the Earth Observing System Data and Information System (EOSDIS) and the AM Project for AM-1 Flight Operations; 7/95

## 2.3 Information Documents

The following documents, although not directly applicable, amplify or clarify the information presented in this document, but are not binding.

102-CD-002-001	Maintenance and Operations Configuration Management Plan for the ECS Project
160-TP-004-001	User Pull Analysis Notebook for the ECS Project
161-TP-001-001	EOSDIS Product Use Survey Technical Paper for the ECS Project
19400311TPW	User Scenario Notebook for the ECS Project
19400312TPW	User Characterization and Requirements Analysis for the ECS Project
19400313TPW	ECS User Characterization Methodology and Results for the ECS Project
19400548TPW	User Scenario Functional Analysis for the ECS Project
JPL D-12511	Jet Propulsion Laboratory, Implementation Plan for Support of the SeaWinds Project, PO DAAC, February 1995.

### **3. Release Overview**

---

This section of the document describes the mission operations supported which Release B will support. This section complements Section 5 in which the operational concept for ECS support of the missions is given on a DAAC by DAAC basis.


Section 3 contains the following subsections:

- 3.1      Release B Mission Statement
- 3.2      Missions Supported by ECS Release B
- 3.3      Interdisciplinary Investigators
- 3.4      Version 0 Data Migration
- 3.5      ECS Functionality
- 3.6      ECS Sites for Release B
- 3.7      Description of ECS Support for Missions

#### **3.1 Release B Mission Statement**

The purpose of Release B is to provide an end-to-end system that supports multiple satellites, instruments and missions, not a unique system for each (See Figure 3.1-1). In addition to functions, services and data provided by Release A, Release B will provide flight operations for EOS AM-1 and data functions for EOS AM-1, Landsat 7, ADEOS II and other NASA-identified data collections including the international SAR missions supported at the Alaska SAR Facility DAAC. The data from each EOS instrument will be sent to Distributed Active Archive Centers (DAAC) for processing, archiving, and distribution. These data centers will house the ECS computing facilities and operational staff needed to produce EOS Standard Products and to manage, store, and distribute EOSDIS data, as well as the associated metadata and browse data, that allow effective use of the data holdings. The DAACs will exchange data via dedicated EOSDIS networks to support processing at one DAAC which requires data from another DAAC.

End-to-end EOSDIS services depend on ECS providing a robust infrastructure with components having high reliability, high throughput or large storage capacity. Certain mission critical components must be highly reliable to support launches and to ensure that data are not lost. Examples of mission critical components include command and control of EOS spacecraft and instruments, and maintenance of reliable, long-term data archives for global change research. Loss of either space assets or long-term data would seriously impair the EOS mission. Other ECS components, i.e. the EOS data processing components, provide high throughput in order to ingest, process, and archive the high data rates from EOS instruments. Capturing the raw EOS instrument data and processing it to the level required to confirm data validity are mission critical functions. However, downstream processing of higher level products is important but not mission critical since recovery from processing errors or loss of data products can be accomplished by reprocessing from lower level input data.



**Figure 3.1-1. ECS End-to-End System Views**

NASA is placing special emphasis on pre-launch and post-launch calibration of EOS instruments as well as validation and quality assessment of the EOS standard products so that interdisciplinary scientists need not have detailed knowledge of the instruments and the science algorithms . Maintaining accuracy and calibration over long time periods is crucial to studies of climate and global change. Each EOS instrument team is planning post-launch validation of their science algorithms through techniques such as comparisons with in situ measurements, field measurements, and comparisons with other EOS and non-EOS derived products.

Open access to EOS and other Earth science data by all members of the science community, about 16000, distinguishes EOS from previous research satellite projects, where selected investigators had proprietary data rights for a number of years after data acquisition. This open data policy will lead to greater utilization of EOS data products, for global change research and other applications. The EOS program is also distinguished by the large number of NASA funded investigators (over 500), who provide expertise across the broad range of scientific disciplines in Earth system science.

Releases C and D will support future EOS missions, such as EOS PM-1, and will incorporate evolutionary changes such as new processing and storage technologies. Successive releases will provide expanded and increasingly enhanced data search and access, based on feedback from the science community.

## 3.2 Missions Supported by ECS Release B

The missions supported by the Release B of ECS are shown in Table 3.2-1. Details of the ECS support for the missions are given in Section 3.7.

**Table 3.2-1. Mission Baseline**

Mission	Instruments	Launch Date
TRMM	CERES, LIS, VIRS, PR, TMI	17 August, 1997 Initially Supported by ECS Release A
EOS AM-1	ASTER, CERES, MISR, MODIS, MOPPIT	30 June, 1998
Landsat 7	ETM+	May, 1998
FOO	COLOR	May, 1998
ADEOS II	SeaWinds	February, 1999
ALT RADAR (CNES or GFO)	DFA, MR	Mar, 1999
ACRIMSAT	ACRIM	June, 1999
METEOR	SAGE III	August, 1998
ERS-1	SAR	July, 1991
ERS-2	SAR	April, 1995
JERS-1	SAR	February, 1992
RADARSAT	SAR	October, 1995

### 3.3 Interdisciplinary Investigators

In an effort to improve scientific knowledge of Earth system science, NASA has selected 29 Interdisciplinary Science (IDS) Teams as part of the EOS/MTPE Program. See the 1995 MTPE/EOS Reference Handbook edited by Ghassem Asrar and Reynold Greenstone and published by Sterling and Spangler for a list of these teams and for more information. An important part of these IDS Team efforts will be to use the geophysical products created by the various EOS Instrument Teams, (as well as other remotely sensed and in situ data sets), to improve their computer-assisted models of the complex processes and cycles of the Earth. The 29 investigation teams selected cover a wide range of Earth system science and modeling expertise and have been grouped into seven broad categories by McKay and Ardanuy, 1992, in their summary report concerning the IDS Teams. These categories are listed in The Major Disciplines of Earth System Science of The EOS Interdisciplinary Investigation Teams in Table 3.3-1.

**Table 3.3-1. The Major Disciplines of Earth System Science of The EOS Interdisciplinary Investigation Teams**

Carbon, Energy and Water Cycles
Oceans/Atmosphere
Chemistry of the Troposphere and Lower Stratosphere
Chemistry of the Middle and Upper Troposphere
Land Surface Hydrology and EcoSystem Processes
Glacier and Polar Ice Sheets
Solid Earth

Source: McKay, A. and P. Ardanuy. 1992. "EOS Interdisciplinary Science Investigations: Analysis of Modeling Elements and Their Interrelationships. Technical Report Published for the NASA/GSFC EOS Project Science Office. July, 1992.

Examples of ECS Services that should facilitate the research efforts of these IDS teams are the following:


1. The capability to search the DAAC holdings for EOS and Version 0 Data Products relevant to their research efforts. Also the use of the *Advertising Service* to learn and implement new methods of analyzing or using data products that may/may not be at the DAACs;
2. The ability to obtain data products from any of the DAACs in a common data structure for use in their modeling efforts; and
3. The long term plan of implementing parts of or all of each IDS Team's models on DAAC computing resources to allow these Teams to concentrate their efforts on improving their respective models.

### **3.4 Version 0 (V0) Data Migration**

Because of the value of past remote sensing data to Global Change Research, NASA has elected to migrate Version 0 data to ECS as part of the overall V0-to-V1 transition. ECS is being designed for a long life cycle (at least two decades beyond the launch of the first EOS spacecraft) with architectural features that facilitate technology upgrades and evolution. Migration to ECS will ensure continued maintenance of these important historical Earth science data. After migration, ECS will provide information management and data archive and distribution functions for past NASA Earth science flight missions and other Earth science data held by NASA. Users will gain access to improved services, new functions, and better performance. V0-to-V1 migration is being planned from a users' point of view to ensure continuous data availability throughout the migration process.

The data migration process for each data product, or group of similar data products, is depicted in Figure 3.4-1 and consists of two phases: the Engineering Phase and Operations Phase. Both phases are performed by the ECS V0 data migration team. The Engineering Phase includes: 1) resource analysis of the data and metadata, 2) development of any software and procedures, and 3) benchmark migration testing of samples to prove the process. During resource analysis, ECS will identify and document the effort required to convert and migrate the candidate V0 data product and metadata. Software and procedures are developed, constrained by the available budget, to perform data conversion to HDF-EOS, map V0 metadata to the ECS metadata model, and derive new metadata. Benchmark testing, with a sample of the migrated data and metadata, is performed in the ECS Development Facility environment, and at the DAAC, on the installed ECS system, to demonstrate readiness for operational migration.

The Operations Phase accomplishes the preprocessing of the V0 data and metadata, ingest into ECS, and the operational population of an ECS Data Server, i.e. the physical migration of the data and metadata from V0 to ECS. At the end of the migration of a data product a Data Readiness Review will be held with ESDIS and DAAC personnel to verify the operational readiness of the data product. Upon successful completion of the review, operational responsibility will transfer from V0 to ECS. For ORNL, the data will not physically move but the metadata will migrate to ECS components at ORNL.




**Figure 3.4-1. The V0 Data Migration Process for Each V0 Data Product**

Before, during, and after the migration process, V0 data will be available to the science community. Before starting the migration process, V0 data will be available to users through direct access to V0. During the migration process, V0 data will be available either through direct access to V0 or through interoperability between ECS and V0. After operational responsibility transfers from V0 to ECS, data will be available through direct access to ECS or through interoperability between V0 and ECS.

The migration process is designed to allow ESDIS/DAACs to steer the migration process through their decisions, as depicted in Figure 3.4-2, with ECS providing the engineering, expertise, and recommendations needed for management and technical decision making. For each V0 data product there are four key decision points: 1) prior to beginning analysis of the data product, 2) after analysis and before beginning software development, 3) after benchmark testing and before beginning operational migration, and 4) after operational migration and before declaring migrated data and metadata available in ECS to end users. Decisions are made by the Data Migration Review Board (chaired by ESDIS with DAAC, Science Data Provider and ECS representation) and the decisions executed by the ECS V0 data migration team. At each DAAC, the migration process is documented in a DAAC Data Migration Plan which is a working document that lives throughout the migration process at a DAAC. The V0 data products that are candidates for migration are identified in NASA's Science Data Plan (SDP): the most recent published SDP is dated July 1994, Version 3.

## “4 Key ESDIS/DAAC Decision Points”



**Figure 3.4-2. ESDIS/DAACs Steer the Migration Process; ECS Provides the Engineering, Expertise, and Recommendations to Support Management and Technical Decision Making**

## 3.5 ECS Functionality

Release B represents the initial EOS AM launch ready configuration of ECS, including functionality described by the Functional and Performance Requirements Specification for the Earth Observing System Data and Information System (EOSDIS) Core System dated May 21, 1993. Additionally, Release B includes the capacity to perform initial post-launch science processing for EOS AM, plus the functions, services and data provided by previous Releases. The Release provides full functionality to support the missions shown in Table 3.2-1. The Release also provides the capacity to support Integration and Test (I&T) of new science software and ECS upgrades in parallel with production operations. The functionality to be provided is as follows:<sup>1</sup>

### Information Management and Archive functions

- Full functionality and performance including:
  - Network access and distribution of data holdings
  - Subsetting

<sup>1</sup> In accordance with ECS SOW as updated by CCR 95-0053.

- Security
- Hard media shipping and handling
- Access to all authorized users
- Interoperability with ADCs and Version 0
- Launch ready for EOS AM-1, LANDSAT-7, COLOR and ADEOS II
- Capability to migrate all Version 0 data to ECS archive
- Information management services to ORNL
- Data distribution/access for RADARSAT, ERS1/2, and JERS1 data at ASF

#### Science Processing

- Full functionality and performance including:
  - Algorithm environment for final I&T for AM-1 and COLOR
  - Ebnet interfaces
- Launch ready for EOS AM-1, LANDSAT-7, COLOR and ADEOS II

#### Mission Operations

- Full functionality and performance including:
  - Flight operations
  - Institutional interfaces (e.g., FDF, SN, NCC), EDOS and EBNet
- Launch ready for EOS AM-1
- Full instrument and spacecraft testing support for EOS AM-1

#### Networks

- Full functionality and performance

#### System Management

- Full functionality and performance

## **3.6 ECS Sites for Release B**

This document is based on the ECS Change Order 1 list of locations and Statement of Work. ECS elements are deployed to the institutions shown below:

- Distributed Active Archive Centers (DAACs):
  - \_ Alaska SAR Facility (ASF) - University of Alaska-Fairbanks, Fairbanks, Alaska
  - \_ Consortium for International Earth Science Information Network (CIESIN) - University Center, Michigan
  - \_ EROS Data Center (EDC) - Sioux Falls, South Dakota
  - \_ Goddard Space Flight Center (GSFC) - Greenbelt, Maryland
  - \_ Jet Propulsion Laboratory (JPL) - Pasadena, California
  - \_ Langley Research Center (LaRC) - Hampton, Virginia

- \_ National Snow and Ice Data Center (NSIDC) - University of Colorado, Boulder, Colorado
  - \_ Oak Ridge National Laboratory (ORNL) - Oak Ridge, Tennessee
- System Monitoring and Coordination Center (SMC) - GSFC Building 32, Greenbelt, Maryland
- ECS Operations Center (EOC) - GSFC Building 32, Greenbelt, Maryland. The Flight Operations Segment is housed at the EOC. Operations concepts can be found in a separate ECS OCD volume.

### **3.7 Description of ECS Support for Missions**

This section provides descriptions of each mission and the a description of flows between each DAACs and EOC for each of the following missions:

- TRMM Support (3.7.1)
- TSDIS Interface (3.7.1.1)
- CERES Instrument (3.7.1.2)
- LIS Instrument (3.7.1.3)
- AM-1 Support (3.7.2)
- ASTER Instrument (3.7.2.1)
- CERES Instrument (3.7.2.2)
- MISR Instrument (3.7.2.3)
- MODIS Instrument (3.7.2.4)
- MOPITT Instrument (3.7.2.5)
- Landsat 7 Support (3.7.3)
- COLOR Support (3.7.4)
- ADEOS II - SeaWinds Support (3.7.5)
- ALT RADAR Support (3.7.6)
- ACRIMSAT Support (3.7.7)
- METEOR - SAGE III Support (3.7.8)
- SAR Support (3.7.9)
- ERS-1/2 (3.7.9.1)
- JERS-1 Mission Support (3.7.9.2)
- RADARSAT Mission Support (3.7.9.3)
- Data Assimilation Office (DAO) Support (3.7.10)

#### **3.7.1 TRMM Mission Support**


TRMM is a Mission to Planet Earth mission designed to advance our understanding of total rainfall and to determine the rate of rainfall and the total rainfall occurring over the tropics and

subtropics (between +35 and -35 degrees latitude). TRMM is also designed to facilitate the measurement and analysis of the Earth's radiant energy budget and lightning. The mission is a joint venture between National Aeronautics and Space Administration (NASA) and the National Space Development Agency of Japan (NASDA).

### **3.7.1.1 TSDIS**

The TRMM Science Data and Information System (TSDIS) and ECS work together to provide support for the Visible and Infrared Scanner (VIRS), TRMM Microwave Imager (TMI), Precipitation Radar (PR) instruments to be flown on the TRMM observatory, and corresponding Ground Validation (GV) data. The ECS interface is at the Goddard Space Flight Center (GSFC) Distributed Active Archive Center (DAAC). This support includes science data archive and distribution. A brief description of the TRMM mission and TSDIS-ECS interfaces follows. See Figure 3.7.1-1 for an overview of ECS support of the TRMM mission.

TSDIS, located at GSFC, will house a TRMM Science Data Operations Center (SDOC) and a Science Operations Control Center (SOCC). The TSDIS will process PR, TMI, VIRS, and GV data and generate various levels of standard data products. The TSDIS-generated science data products will be made available to the TSDIS Science Users (TSUs) (algorithm developers, instrument scientists, and quality control scientists) through Remote Science Terminals (RSTs). In addition, the standard TRMM data products will be transferred from the TSDIS to the ECS for archive, TSDIS access for reprocessing, and distribution to the research user communities.



**Figure 3.7.1-1. ECS Support of the TRMM Mission**

The GSFC DAAC supports research in the discipline areas of passive microwave remote sensing of the atmosphere, atmospheric electricity and lightning detection, and global hydrologic and atmospheric modeling. The GSFC DAAC will have responsibility for archive and distribution of the TMI, PR, combined PR/TMI, GV data, and ancillary data.

The GSFC DAAC also supports research in the discipline areas of the upper atmosphere, atmospheric dynamics, global biosphere, and geophysics. The GSFC DAAC will have responsibility for archive and distribution of data products for the VIRS instrument, ancillary data, and products generated using VIRS and other data products.

### 3.7.1.2 CERES

The CERES investigation will provide EOS with an accurate and self-consistent cloud and radiation database for researchers of the World Climate Research Program, including the Tropical Ocean Global Atmosphere campaign, World Ocean Circulation Experiment, and the

Global Energy and Water Experiment. The CERES instrument will measure the Earth's radiation budget through observation of both short- and long-wave radiation using two broad band scanning radiometers. The two identical scanners will normally operate in two different scan modes: cross-track or biaxial. The CERES sensor system consists of three co-aligned broad band thermistor bolometer detectors. The three detectors are identical except for optical filters on two detectors (longwave and short-wave) which restrict their spectral ranges to a portion of the Earth's radiation bandwidth. Each CERES unit has dedicated microprocessors to control and direct instrument operations. Reprogramming the instrument microprocessors is expected to be infrequent. Updates to the instrument microprocessor flight software, scan table, or internal sequences will be uplinked through the EOC as part of an integrated command load. The CERES PI facility is located at LaRC in Hampton, Virginia.

CERES Science Software will be delivered to the LaRC DAAC for I&T in the pre-mission timeframe. CERES level 0 data will be ingested from SDPF at the LaRC DAAC. CERES higher level products will be produced and archived at LaRC.. ECS will support full access to CERES products. Details on CERES operations at LaRC may be found in Section 5.6.

### **3.7.1.3 LIS**


LIS is an instrument that will investigate the global incidence of lightning and its relationship with rainfall and the global electric system. The instrument itself is a staring telescope which detects the rate, location and radiant energy of lightning flashes.

LIS Science Software will be delivered to the GSFC DAAC for I&T in the pre-mission timeframe. LIS level 0 data will be ingested from SDPF at the GSFC DAAC. LIS higher level products will be produced and archived at GSFC. ECS will support full access to LIS products. Details on LIS operations at GSFC may be found in Section 5.4.

## **3.7.2 AM-1 Mission Support**

The AM-1 payload complement consists of five instruments: Advanced Spaceborne Thermal Emission and Reflection Radiometer (ASTER), Clouds and Earth's Radiant Energy System (CERES), Multi-angle Imaging SpectroRadiometer (MISR), Moderate Resolution Imaging SpectroRadiometer (MODIS), and Measurements Of Pollution In The Troposphere (MOPITT). Facility Instrument operations are coordinated by Team Leads (TLs). The Facility Instruments on AM-1 are ASTER and MODIS. CERES, MISR and MOPITT operations are coordinated by their principal investigators (PIs).

A brief description of the AM-1 mission and AM-1 Mission to ECS interfaces follows. See Figure 3.7.2-1 for an overview of ECS support of the AM-1 mission.



**Figure 3.7.2-1. ECS Support of the AM-1 Mission**

### 3.7.2.1 ASTER

The ASTER instrument is a high-resolution multi-spectral imaging radiometer provided by Japan's MITI. ASTER provides high spatial resolution images of land surfaces, water, ice, and clouds. ASTER will operate in three visible and near infrared (VNIR) channels, six short-wave infrared (SWIR) channels and five thermal infrared (TIR) channels. ASTER also has a same-orbit stereo imaging capability. The ASTER instrument will be controlled from an Instrument Control Center (ICC) which will be developed by the Japanese as part of the ASTER Ground Data System (GDS). Interface requirements between the ASTER GDS and the ECS are documented in the IRD Between ECS and MITI ASTER Project.

ASTER Science Software will be delivered to the EDC DAAC for I&T in the pre-mission timeframe. ASTER DARs may be submitted by approved users to ECS and will be forwarded to the ASTER GDS. ASTER level 1 products will be produced at the ASTER GDS and delivered on media to the EDC DAAC for archival and distribution. ASTER higher level land products will be produced and archived at EDC. ECS will support two-way level 3 catalog interoperability with the ASTER GDS. Details on ASTER operations at EDC may be found in Section 5.3.

### **3.7.2.2 CERES**

The CERES investigation will provide EOS with an accurate and self-consistent cloud and radiation database for researchers of the World Climate Research Program, including the Tropical Ocean Global Atmosphere campaign, World Ocean Circulation Experiment, and the Global Energy and Water Experiment. The CERES instrument will measure the Earth's radiation budget through observation of both short- and long-wave radiation using two broad band scanning radiometers. The two identical scanners will normally operate in two different scan modes: cross-track or biaxial. The CERES sensor system consists of three co-aligned broad band thermistor bolometer detectors. The three detectors are identical except for optical filters on two detectors (longwave and short-wave) which restrict their spectral ranges to a portion of the Earth's radiation bandwidth. Each CERES unit has dedicated microprocessors to control and direct instrument operations. Reprogramming the instrument microprocessors is expected to be infrequent. Updates to the instrument microprocessor flight software, scan table, or internal sequences will be uplinked through the EOC as part of an integrated command load. The CERES PI facility is located at LaRC in Hampton, Virginia.

CERES Science Software will be delivered to the LaRC DAAC for I&T in the pre-mission timeframe. CERES level 0 data will be ingested from EDOS at the LaRC DAAC. CERES higher level products will be produced and archived at LaRC. ECS will support full access to CERES products. Details on CERES operations at LaRC may be found in Section 5.6.

### **3.7.2.3 MISR**

MISR is an instrument for studying the ecology and climate of the earth. The MISR investigation also will be used to validate and correct MODIS and ASTER images. MISR will acquire images at nine discrete viewing angles, with a charged coupled device (CCD) camera allocated to each viewing direction. Four cameras are pointed forward, one pointed at nadir, and four pointed aft. Images at each angle are obtained in four spectral bands using CCD line arrays for a total of 36 channels (nine cameras, four bands each). Each of the 36 instrument data channels is individually commandable to one of four averaging modes (i.e., one-sample-by-one-line [no averaging], two sample-by-two-line, four-sample-by-four-line, and one-sample-by-four-line). MISR targeting is controlled by a table of sites stored in the instrument microprocessor. Instrument microprocessor loads, table loads, and memory loads will be uplinked through the EOC as part of an integrated command load. The MISR PI facility is located at JPL.

MISR Science Software will be delivered to the LaRC DAAC for I&T in the pre-mission timeframe. MISR level 0 data will be ingested from EDOS at the LaRC DAAC. MISR higher level products will be produced and archived at LaRC.. ECS will support full access to MISR products. Details on MISR operations at LaRC may be found in Section 5.6.

### **3.7.2.4 MODIS**

MODIS is designed to measure biological and physical processes on a global scale. The instrument will provide long-term observations from which to derive and enhance knowledge of global dynamics and processes occurring on the surface of the Earth and in the lower atmosphere. The MODIS instrument uses a conventional imaging radiometer concept, consisting of a cross-track scan mirror and collecting optics, and a set of linear detector arrays, with spectral

interference filters located in four focal planes. The optical arrangement will provide imagery in thirty-six discrete bands selected for diagnostic significance in Earth science. MODIS Telemetry and Command Processor (TCP) loads will be uplinked through the EOC as part of the integrated command load. The MODIS TL facility is located at GSFC.

MODIS Science Software will be delivered to the GSFC DAAC for I&T in the pre-mission timeframe. MODIS level 0 data will be ingested from EDOS at the GSFC DAAC. MODIS level 1 and 2 products will be produced and archived at GSFC. MODIS Level 3 ocean and atmosphere products will be produced and archived at GSFC.

MODIS level 3 Land products will be produced and archived at the EDC DAAC. MODIS level 2 land products will also be archived at EDC. MODIS level 3 snow/ice products will be produced and archived at the NSIDC DAAC. MODIS level 2 snow/ice products will also be archived at NSIDC. ECS will support full access to MODIS products. Details on MODIS operations at GSFC may be found in Section 5.4. Details on MODIS operations at EDC may be found in Section 5.3. Details on MODIS operations at NSIDC may be found in Section 5.8.

### **3.7.2.5 MOPITT**

The MOPITT instrument, provided by the Canadian Space Agency (CSA), will measure emitted and reflected infrared radiance in the atmospheric column. The MOPITT experiment uses tropospheric carbon monoxide profile as well as carbon monoxide and methane (a greenhouse gas) columns to study how these gases interact with the surface, ocean, and biomass systems. MOPITT is designed as a scanning instrument with four parallel optical chains. Each chain incorporates its own scanning mirror, calibration targets, optics, and correlation cells (pressure modulated gas filters). Each optical chain has two signal paths, each leading to a detector array, with each detector array consisting of four elements. Infrequent instrument microprocessor software and table loads will be uplinked through the EOC as part of the integrated command load. The MOPITT PI facility is located at the University of Toronto, Ontario, Canada.

MOPITT Science Software will be delivered to the LaRC DAAC for I&T in the pre-mission timeframe. MOPITT level 0 data will be ingested from EDOS at the LaRC DAAC. MOPITT higher level products will be produced and archived at LaRC.. ECS will support full access to MOPITT products. Details on MOPITT operations at LaRC may be found in Section 5.6.

### **3.7.3 Landsat 7 Mission Support**

The Landsat 7 Program provides a satellite remote sensing capability serving a broad community of users, including those involved in global change research as well as civil, national security, academic, and commercial applications. The goal of the Landsat 7 System is to acquire and periodically refresh global, substantially cloud free data of all sun-lit land masses. The Landsat 7 Program continues the remote sensing capability currently provided by Landsats 4 and 5.


Landsat 7 and ECS work together to provide user access to data collected by the Enhanced Thematic Mapper Plus (ETM+) instrument flown on the Landsat 7 satellite. The Landsat 7 Project processes the raw instrument data into Level 0R data and then provides the data to ECS for ingest, archive and distribution. All ECS registered users are permitted access to Landsat 7 Level 0R data, metadata and browse data archived by ECS.

The Landsat 7 satellite is scheduled for launch in 1998 and operation for a minimum of five years. The ETM+ Instrument on the satellite performs multispectral imaging. Data is downlinked via direct X-band interfaces to the Landsat 7 Ground Data Processing System (GDPS) at the Earth Resources Observation System (EROS) Data Center (EDC), a USGS facility near Sioux Falls South Dakota.. At the GDPS, the raw data is processed into Level 0R subinterval data files and transferred to ECS via a direct link between the Landsat 7 Processing System communication network to the ECS communication network. Other data and information exchanged between ECS and the other Landsat 7 System elements are generally transferred via Internet interfaces or through physical media.

Landsat 7 System elements interfacing with ECS are the Landsat 7 Processing System (LPS), the Image Assessment System (IAS), the Mission Operations Center (MOC), the Mission Management Office (MMO), and the International Ground Stations (IGSs). The first three elements belong to the Landsat 7 Ground System. The LPS and the IAS are ECS external data providers. In addition, both the IAS and the MOC function as ECS users to acquire Landsat 7 data from ECS. MMO functions, provided by the National Oceanic and Atmospheric Administration (NOAA), include exchange of system management status and Landsat 7 product cost information with ECS. The IGSs, which are geographically dispersed, receive downlinked Landsat 7 data via their own direct X-band interface and provide to ECS only inventory metadata and browse data corresponding to the Landsat 7 image data they acquire.

ECS support for the Landsat 7 science data is collocated with the Landsat 7 Ground System at EDC. ECS at the EDC Distributed Active Archive Center (DAAC) provides: ingest of and long-term storage for Landsat 7 image data and other related data; ingest of Landsat 7 calibration coefficient files and associated metadata updates; EOSDIS user access to browse images and a catalog of archived Landsat 7 data for data search and product order; and distribution of products in response to orders.

See Figure 3.7.3-1 for an overview of ECS support of the Landsat-7 mission.



**Figure 3.7.3-1. ECS Support of the Landsat-7 Mission**

### 3.7.4 Color Mission Support


TBS

### 3.7.5 ADEOS II - SeaWinds Mission Support

The SeaWinds instrument will fly on the second National Space Development Agency (NASDA) Japanese Advanced Earth Observing Satellite II (ADEOS-II). The SeaWinds instrument is a spaceborne scatterometer designed to make all-weather measurements of near-surface wind velocity (both speed and direction) over the world oceans. The SeaWinds Experiment is part of the EOS program. The SeaWinds Project is responsible for producing the SeaWinds-specific data processing algorithms including all necessary documentation, test procedures, and results to the JPL DAAC for integration with the EOSDIS system.

SeaWinds Science Software will be delivered to the JPL DAAC for I&T in the pre-mission timeframe. SeaWinds level 0 data will be ingested from ADEOS II GPS at the JPL DAAC. SeaWinds higher level products will be produced and archived at JPL. ECS will support full access to SeaWinds products. Details on SeaWinds operations at JPL may be found in Section 5.5.

See Figure 3.7.5-1 for an overview of ECS support of the SeaWinds mission.




**Figure 3.7.5-1. ECS Support of the SeaWinds Mission**

### 3.7.6 ALT Radar Mission Support

ALT Radar, to be launched in March 1999, will have on board the Dual Frequency Altimeter (DFA) and Microwave Radiometer (MR). These instrument programs are not yet fully defined, and thus little is known about ECS support of these instruments. It is assumed that data archiving and distribution will occur at the JPL DAAC.

ALT Radar Science Software will be delivered to the JPL DAAC for I&T in the pre-mission timeframe. ALT Radar level 0 data will be ingested at the JPL DAAC. ALT Radar higher level products will be produced and archived at JPL. ECS will support full access to ALT Radar products. Details on ALT Radar operations at JPL may be found in Section 5.5.

See Figure 3.7.6-1 for an overview of ECS support of the ALT RADAR mission.




**Figure 3.7.6-1. ECS Support of the ALT RADAR Mission**

### 3.7.7 ACRIM Mission Support

ACRIMSAT, to be launched in June 1999, is a small satellite on which the Active Cavity Radiometer Irradiance Monitor (ACRIM) will fly. ACRIM will monitor the variability of the total solar irradiance.

ACRIM Science Software will be delivered to the LaRC DAAC for I&T in the pre-mission timeframe. ACRIM level 0 data will be ingested at the LaRC DAAC. ACRIM higher level products will be produced and archived at LaRC. ECS will support full access to ACRIM products. Details on ACRIM operations at LaRC may be found in Section 5.6.

See Figure 3.7.7-1 for an overview of ECS support of the ACRIMSAT mission.




**Figure 3.7.7-1. ECS Support of the ACRIMMSAT Mission**

### 3.7.8 METEOR - SAGE III Mission Support

The Stratospheric Aerosol and Gas Experiment (SAGE) III instrument will fly on the Meteor 3M vehicle. SAGE III is a limb-scanning spectroradiometer which will measure tropospheric and stratospheric aerosol and gas variability.

SAGE III Science Software will be delivered to the LaRC DAAC for I&T in the pre-mission timeframe. SAGE III level 0 data will be ingested at the LaRC DAAC. SAGE III higher level products will be produced and archived at LaRC. ECS will support full access to SAGE III products. Details on SAGE III operations at LaRC may be found in Section 5.6.

See Figure 3.7.8-1 for an overview of ECS support of the SAGE III mission.




**Figure 3.7.8-1. ECS Support of the SAGE III Mission**

### 3.7.9 SAR Support

The ERS-1, ERS-2, JERS-1 and Radarsat Missions together comprise the SAR Mission. See Figure 3.7.9-1 for an overview of ECS support of the SAR mission.

SAR Science Software will be delivered to the ASF DAAC for I&T in the pre-mission timeframe. SAR level 0 data will be ingested at the ASF DAAC. SAR higher level products will be produced and archived at ASF. ECS will support full access to SAR products. Details on SAR operations at ASF may be found in Section 5.2.



**Figure 3.7.9-1. ECS Support of Synthetic Aperture Radar (SAR) Missions**

### 3.7.9.1 ERS-1, ERS-2 Mission Support

ERS-1 launched July 1991; ERS-2 launched April 1995

ECS supports ERS-1, and ERS-2 for archiving and distributing processed products and associated metadata, performing order management, and facilitating user access to data. It is expected that ECS will migrate existing data from the "V0" system and then support these missions operationally (receipt of daily data products) after Release B delivery.

### 3.7.9.2 JERS-1 Mission Support

JERS-1 launched Feb., 1992

ECS supports JERS-1 for archiving and distributing processed products and associated metadata, performing order management, and facilitating user access to data. It is expected that ECS will migrate existing data from the "V0" system and then support these missions operationally (receipt of daily data products) after Release B delivery.

### 3.7.9.3 RADARSAT Mission Support

RADARSAT scheduled for October 1995.

ECS supports RADARSAT for archiving and distributing processed products and associated metadata, performing order management, and facilitating user access to data. It is expected that ECS will migrate existing data from the "V0" system and then support these missions operationally (receipt of daily data products) after Release B delivery.

### **3.7.10 Data Assimilation Office (DAO) Support**

The Data Assimilation Office (DAO), located at GSFC and part of the GSFC DAAC, is responsible for developing advanced assimilation algorithms used to produce research-quality assimilated data products, e.g., multi-year gridded global atmospheric datasets, for the Earth Observing System (EOS). Data from the National Oceanic and Atmospheric Administration (NOAA) and other sources are provided to the Data Assimilation System (DAS) (at the DAO) in an operational mode. Some of the DAO-acquired NOAA (i.e., NMC) datasets are required by ECS as ancillary data for ECS production (e.g., CERES). In addition, ECS supplies the TRMM Science Data Information System (TSDIS) with ancillary data, including the NMC data, for TSDIS production. All DAS data production and archival takes place at the GSFC DAAC.